

The LG **DVLED** Ultimate Business Display

One display. Brilliantly simple. Utterly breathtaking.

2K **FULLHD**

81" - 217"

dual2K Ultra Stretch

147" - 393"

4K **ULTRAHD**

136" - 325"

dual4K Ultra Stretch

294" - 589"

8K **XHD**

271" - 325"

TEAMS 21:9

102" - 205"



THE DISPLAY

All parts and components in one ready-to-assemble bundle

- LG direct view LED panels
- 4K LG controller
- 5% Spare modules*
- Spare boards and parts
- Service tool

LG webOS™

- Intuitive on-screen user interface
- Embedded content manager and media player

Screen sharing

- Miracast
- WiDi

Onboard CMS

- Large volume flash storage
- Store, schedule, playback

Mounting Kit Included

- Basic wall mount configuration for standard models
- Precision cut specifically for each model

Trim Kits Included on Select Models

- Provides finished look around the edges of the display

* LABA015 includes 7% Spare modules

THE SERVICES

On-site Field Support

- Up to 3-Days Training by an LG Field Engineer
- Educational webinar prior to installation
- Certified LG Pixel Surgeon will be on-site to remove/replace any pixels that may have been damaged during the installation process**

3 years LG TotalCare Health Checks

- Annual on-site display health check by LG Pixel Surgeon
- Examine Pixel Health and Perform On-Site Repair of Damaged Pixels
- Inspect for Proper System Configuration and Physical Connections
- Initiate expedited priority on any needed RMA services

3 years LG ConnectedCare® System Surveillance

- ConnectedCare Solution Software subscription
- Optional LG professional remote monitoring service

Warranty Service

- 3 year limited manufacturer warranty
- Optional LG ExtendedCare warranty for up to 5 years

** Pixel surgeon only applies for indoor installations with SMD pixel packages from 0.9mm to 3.9mm.

THE PACKAGING

LG Branded Flight Case***

- Every LG direct view LED display with SMD pixel technology ships in a new, branded, wheeled flight case
- Premium-grade protection for each stunning display
- No more searching to make sure you received every box
- No forklifts or pallet jacks required, simply roll the cases in to your space



*** Flight case sizes and quantities may vary.

Full HD Ultimate Business Display

2K Full HD Ultimate Business Display	SKU	TAA Complaint	LED Package	Pixel Pitch	Panel Array W x H (Panel Quantity) Resolution	Max Brightness Max Power Consumption	Min Viewing Distance	Dimensions (W x H x D)	Service Access	webOS Version Controller SKU
2K Full HD 81"	LSAB-F081C	No	COB	0.94 mm	3 x 3 (9 Panels) 1920 x 1080	600 nits 540 Watts	5-7 feet	5.9 x 3.3 x 0.2 ft. 70.9 x 39.9 x 1.8 in. 1801 x 1013 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSAB-F081GV	Yes				600 nits 540 Watts				
2K Full HD 108"	LSAB-F108GV	Yes	COB	1.25 mm	4 x 4 (16 Panels) 1920 x 1080	800 nits 960 Watts	6-9 feet	7.9 x 4.4 x 0.2 ft. 94.5 x 53.1 x 1.8 in. 2400 x 1349 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSCB-F108C	No	Single SMD		4 x 4 (16 Panels) 1920 x 1080	800 nits 2400 Watts		7.9 x 4.4 x 0.1 ft. 94.5 x 53.1 x 1.3 in. 2400 x 1349 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-F108GV	Yes			2 x 2 (4 Panels) 1920 x 1080	600 nits 2320 Watts		7.9 x 4.4 x 0.2 ft. 94.5 x 53.1 x 2.8 in. 2400 x 1349 x 71 mm		
2K Full HD 136"	LSCB-F136C	No	Single SMD	1.56 mm	5 x 5 (25 Panels) 1920 x 1080	800 nits 3750 Watts	8-11 feet	9.8 x 5.5 x 0.1 ft. 118.1 x 66.4 x 1.3 in. 3000 x 1687 x 33 mm	Front	webOS 4.0 CVCA
	LSBE-F136GV	Yes				600 nits 2675 Watts		9.8 x 5.5 x 0.2 ft. 118.1 x 66.4 x 2.8 in. 3000 x 1687 x 71 mm		
2K Full HD 163"	LSCB-F163C	No	Single SMD	1.88 mm	6 x 6 (36 Panels) 1920 x 1080	800 nits 5400 Watts	9-13 feet	11.8 x 6.6 x 0.1 ft. 141.7 x 79.7 x 1.3 in. 3599 x 2024 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-F163GV	Yes			3 x 3 (9 Panels) 1920 x 1080	600 nits 4590 Watts		11.8 x 6.6 x 0.2 ft. 141.7 x 79.7 x 2.8 in. 3599 x 2024 x 71 mm		
2K Full HD 217"	LSCB-F217C	No	Single SMD	2.50 mm	8 x 8 (64 Panels) 1920 x 1080	800 nits 6400 Watts	13-18 feet	15.8 x 8.9 x 0.1 ft. 189 x 106.3 x 1.3 in. 4801 x 2700 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-F217GV	Yes			4 x 4 (16 Panels) 1920 x 1080	600 nits 7360 Watts		15.8 x 8.9 x 0.2 ft. 189 x 106.3 x 2.8 in. 4801 x 2700 x 71 mm		webOS 4.0 CVBA

Dual 2K FHD Ultimate Business Display

Dual 2K FHD Ultimate Business Display	SKU	TAA Complaint	LED Package	Pixel Pitch	Panel Array W x H (Panel Quantity) Resolution	Max Brightness Max Power Consumption	Min Viewing Distance	Dimensions (W x H x D)	Service Access	webOS Version Controller SKU
Dual 2K Full HD 147"	LSAB-G147C	No	COB	0.94 mm	6 x 3 (18 Panels) 3840 x 1080	600 nits 1080 Watts	5-7 feet	11.8 x 3.3 x 0.2 ft. 141.7 x 39.9 x 1.8 in. 3599 x 1013 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSAB-G147GV	Yes				600 nits 1080 Watts				
Dual 2K Full HD 196"	LSAB-G196GV	Yes	COB	1.25 mm	8 x 4 (32 Panels) 3840 x 1080	800 nits 1920 Watts	6-9 feet	15.8 x 4.4 x 0.2 ft. 189 x 53.1 x 1.8 in. 4801 x 1349 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSCB-G196C	No	Single SMD			800 nits 4800 Watts		15.8 x 4.4 x 0.1 ft. 189 x 53.1 x 1.3 in. 4801 x 1349 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-G196GV	Yes			4 x 2 (8 Panels) 3840 x 1080	600 nits 4640 Watts		15.8 x 4.4 x 0.2 ft. 189 x 53.1 x 2.8 in. 4801 x 1349 x 71 mm		
Dual 2K Full HD 245"	LSCB-G245C	No	Single SMD	1.56 mm	10 x 5 (50 Panels) 3840 x 1080	800 nits 7500 Watts	8-11 feet	19.7 x 5.5 x 0.1 ft. 236.2 x 66.4 x 1.3 in. 5999 x 1687 x 33 mm	Front	webOS 4.0 CVCA
	LSBE-G245GV	Yes				600 nits 5350 Watts		19.7 x 5.5 x 0.2 ft. 236.2 x 66.4 x 2.8 in. 5999 x 1687 x 71 mm		
Dual 2K Full HD 294"	LSCB-G294C	No	Single SMD	1.88 mm	12 x 6 (72 Panels) 3840 x 1080	800 nits 10800 Watts	9-13 feet	23.6 x 6.6 x 0.1 ft. 283.5 x 79.7 x 1.3 in. 7201 x 2024 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-G294GV	Yes			6 x 3 (18 Panels) 3840 x 1080	600 nits 9180 Watts		23.6 x 6.6 x 0.2 ft. 283.5 x 79.7 x 2.8 in. 7201 x 2024 x 71 mm		webOS 4.0 CVBA
Dual 2K Full HD 393"	LSCB-G393C	No	Single SMD	2.50 mm	16 x 8 (128 Panels) 3840 x 1080	800 nits 12800 Watts	13-18 feet	31.5 x 8.9 x 0.1 ft. 378 x 106.3 x 1.3 in. 9601 x 2700 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-G393GV	Yes			8 x 4 (32 Panels) 3840 x 1080	600 nits 14720 Watts		31.5 x 8.9 x 0.2 ft. 378 x 106.3 x 2.8 in. 9601 x 2700 x 71 mm		webOS 4.0 CVBA

Ultra HD Ultimate Business Display

Ultra HD Ultimate Business Display	SKU	TAA Complaint	LED Package	Pixel Pitch	Panel Array W x H (Panel Quantity) Resolution	Max Brightness Max Power Consumption	Min Viewing Distance	Dimensions (W x H x D)	Service Access	webOS Version Controller SKU
4K Ultra HD 136"	LSAB-U136GV	Yes	COB	0.7 mm	5 x 5 (25 Panels) 3840 x 2160	500 nits 1500 Watts	4-5 feet	9.8 x 5.5 x 0.2 ft. 118.1 x 66.4 x 1.8 in. 3000 x 1687 x 46 mm	Front and Rear	webOS 4.1 CSAD
4K Ultra HD 163"	LSAB-U163GV	Yes	COB	0.94 mm	6 x 6 (36 Panels) 3840 x 2160	600 nits 2160 Watts	5-7 feet	11.8 x 6.6 x 0.2 ft. 141.7 x 79.7 x 1.8 in. 3599 x 2024 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSAB-U163C	No				600 nits 2160 Watts				
4K Ultra HD 217"	LSAB-U217GV	Yes	COB	1.25 mm	8 x 8 (64 Panels) 3840 x 2160	800 nits 3840 Watts	6-9 feet	15.8 x 8.9 x 0.2 ft. 189 x 106.3 x 1.8 in. 4801 x 2700 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSCB-U217C	No	Single SMD		8 x 8 (64 Panels) 3840 x 2160	800 nits 9600 Watts		15.8 x 8.9 x 0.1 ft. 189 x 106.3 x 1.3 in. 4801 x 2700 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-U217GV	Yes			4 x 4 (16 Panels) 3840 x 2160	600 nits 9280 Watts				15.8 x 8.9 x 0.2 ft. 189 x 106.3 x 2.8 in. 4801 x 2700 x 71 mm
4K Ultra HD 271"	LSCB-U271C	No	Single SMD	1.56 mm	10 x 10 (100 Panels) 3840 x 2160	800 nits 15000 Watts	8-11 feet	19.7 x 11.1 x 0.1 ft. 236.2 x 132.9 x 1.3 in. 5999 x 3376 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-U271GV	Yes			5 x 5 (25 Panels) 3840 x 2160	600 nits 13250 Watts		19.7 x 11.1 x 0.2 ft. 236.2 x 132.9 x 2.8 in. 5999 x 3376 x 71 mm		webOS 4.0 CVBA
4K Ultra HD 325"	LSCB-U325C	No	Single SMD	0.93 mm	12 x 12 (144 Panels) 3840 x 2160	800 nits 21600 Watts	9-13 feet	23.6 x 13.3 x 0.1 ft. 283.5 x 159.4 x 1.3 in. 7201 x 4049 x 33 mm	Front	webOS 4.0 CVCA

Dual 4K UHD Ultimate Business Display

Ultra HD Ultimate Business Display	SKU	TAA Complaint	LED Package	Pixel Pitch	Panel Array W x H (Panel Quantity) Resolution	Max Brightness Max Power Consumption	Min Viewing Distance	Dimensions (W x H x D)	Service Access	webOS Version Controller SKU
Dual 4K UHD 294"	LSAB-V294C	No	COB	0.94 mm	12 x 6 (72 Panels) 7680 x 2160	600 nits 4320 Watts	5-7 feet	23.6 x 6.6 x 0.2 ft. 283.5 x 79.7 x 1.8 in. 7201 x 2024 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSAB-V294GV	Yes				600 nits 4320 Watts				
Dual 4K UHD 393"	LSAB-V393GV	Yes	COB	1.25 mm	16 x 8 (128 Panels) 7680 x 2160	800 nits 7680 Watts	6-9 feet	31.5 x 8.9 x 0.2 ft. 378 x 106.3 x 1.8 in. 9601 x 2700 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSCB-V393C	No	Single SMD			800 nits 19200 Watts		31.5 x 8.9 x 0.1 ft. 378 x 106.3 x 1.3 in. 9601 x 2700 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-V393GV	Yes			8 x 4 (32 Panels) 7680 x 2160	600 nits 18560 Watts		31.5 x 8.9 x 0.2 ft. 378 x 106.3 x 2.8 in. 9601 x 2700 x 71 mm		webOS 4.0 CVBA
Dual 4K UHD 490"	LSCB-V490C	No	Single SMD	1.56 mm	20 x 10 (200 Panels) 7680 x 2160	800 nits 30000 Watts	8-11 feet	39.4 x 11.1 x 0.1 ft. 472.4 x 132.9 x 1.3 in. 11999 x 3376 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-V490GV	Yes			10 x 5 (50 Panels) 7680 x 2160	600 nits 26500 Watts		39.4 x 11.1 x 0.2 ft. 472.4 x 132.9 x 2.8 in. 11999 x 3376 x 71 mm		webOS 4.0 CVBA
Dual 4K UHD 589"	LSCB-V589C	No	Single SMD	1.88 mm	24 x 12 (288 Panels) 7680 x 2160	800 nits 43200 Watts	9-13 feet	47.2 x 13.3 x 0.2 ft. 566.9 x 159.4 x 2.8 in. 14399 x 4049 x 71 mm	Front	webOS 4.0 CVCA
	LSBF-V589GV	Yes			12 x 6 (72 Panels) 7680 x 2160	600 nits 36720 Watts		47.2 x 13.3 x 0.2 ft. 566.9 x 159.4 x 2.8 in. 14399 x 4049 x 71 mm		webOS 4.0 CVBA

8K XHD Ultimate Business Display

8K XHD Ultimate Business Display	SKU	TAA Complaint	LED Package	Pixel Pitch	Panel Array W x H (Panel Quantity) Resolution	Max Brightness Max Power Consumption	Min Viewing Distance	Dimensions (W x H x D)	Service Access	webOS Version Controller SKU
8K XHD 271"	LSAB-X271GV	Yes	COB	0.7 mm	10 x 10 (100 Panels) 7680 x 4320	500 nits 6000 Watts	4-5 feet	19.7 x 11.1 x 0.2 ft. 236.2 x 132.9 x 1.8 in. 5999 x 3376 x 46 mm	Front and Rear	webOS 4.1 CSAD
8K XHD 325"	LSAB-X325C	No	COB	0.94 mm	12 x 12 (144 Panels) 7680 x 4320	600 nits 8640 Watts	5-7 feet	23.6 x 13.3 x 0.2 ft. 283.5 x 159.4 x 1.8 in. 7201 x 4049 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSAB-X325GV	Yes			12 x 12 (144 Panels) 7680 x 4320	600 nits 8640 Watts				

Teams 21:9 Ultimate Business Display

Teams 21:9 Ultimate Business Display	SKU	TAA Complaint	LED Package	Pixel Pitch	Panel Array W x H (Panel Quantity) Resolution	Max Brightness Max Power Consumption	Min Viewing Distance	Dimensions (W x H x D)	Service Access	webOS Version Controller SKU
2K FHD Teams 102" (2560 x 1080)	LSAB-T102GV	Yes	COB	0.94 mm	4 x 3 (12 Panels) 2560 x 1080	600 nits 720 Watts	5-7 feet	7.9 x 3.3 x 0.2 ft. 94.5 x 39.9 x 1.8 in. 2400 x 1013 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSAB-TEAM102	No				600 nits 720 Watts		7.9 x 3.3 x 0.2 ft. 94.5 x 39.9 x 1.8 in. 2400 x 1013 x 46 mm		
2K FHD Teams 151" (2880 x 1080)	LSAB-T151GV	Yes	COB	1.25 mm	6 x 4 (24 Panels) 2880 x 1080	800 nits 1440 Watts	6-9 feet	11.8 x 4.4 x 0.2 ft. 141.7 x 53.1 x 1.8 in. 3599 x 1349 x 46 mm	Front and Rear	webOS 4.1 CSAD
	LSCB-TEAM151	No	Single SMD			800 nits 3600 Watts		11.8 x 4.4 x 0.1 ft. 141.7 x 53.1 x 1.3 in. 3599 x 1349 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-T151GV	Yes			3 x 2 (6 Panels) 2880 x 1080	600 nits 3480 Watts				11.8 x 4.4 x 0.2 ft. 141.7 x 53.1 x 2.8 in. 3599 x 1349 x 71 mm
5K FHD Teams 178" (5376 x 2160)	LSAB-T178GV	Yes	COB	0.7 mm	7 x 5 (35 Panels) 5376 x 2160	500 nits 2100 Watts	4-5 feet	13.8 x 5.5 x 0.2 ft. 165.4 x 66.4 x 1.8 in. 4201 x 1687 x 46 mm	Front and Rear	webOS 4.1 CSAD
2K FHD Teams 178" (2688 x 1080)	LSCB-TEAM178	No	Single SMD	1.56 mm	7 x 5 (35 Panels) 2688 x 1080	800 nits 5250 Watts	8-11 feet	13.8 x 5.5 x 0.1 ft. 165.4 x 66.4 x 1.3 in. 4201 x 1687 x 33 mm	Front	webOS 4.0 CVCA
	LSBE-T178GV	Yes				600 nits 3735 Watts		13.8 x 5.5 x 0.2 ft. 165.4 x 66.4 x 2.8 in. 4201 x 1687 x 71 mm		webOS 4.0 CVBA
2K FHD Teams 205" (2560 x 1080)	LSCB-TEAM205	No	Single SMD	1.88 mm	8 x 6 (48 Panels) 2560 x 1080	800 nits 7200 Watts	9-13 feet	15.8 x 6.6 x 0.1 ft. 189 x 79.7 x 1.3 in. 4801 x 2024 x 33 mm	Front	webOS 4.0 CVCA
	LSBF-T205GV	Yes			4 x 3 (12 Panels) 2560 x 1080	600 nits 6120 Watts		15.8 x 6.6 x 0.2 ft. 189 x 79.7 x 2.8 in. 4801 x 2024 x 71 mm		webOS 4.0 CVBA

